## **Sino-Nasal Outcome Test (SNOT-20)**

DOB: Date:	
The following questionnaire is intended to help define your symptoms and provide valuable information and insights	for v

The following questionnaire is intended to help define your symptoms and provide valuable information and insights for your doctor. Answer the questions, rating to the best of your ability the problems you have experienced over the past two weeks.

<ol> <li>Considering how severe the problem is when you experience it and how frequently it happens, please rate each item below on how "bad" it is by checking the number that corresponds with how you feel using this scale: →</li> <li>Please mark the most important items affecting your health (maximum of 5 items).</li> </ol>	No problem	Very mild problem	Mild or slight problem	Moderate Problem	Severe Problem	Problem as bad as it can be		5 Most Important Items
1. Need to Blow nose	0 🗆	1 🗆	2 🗆	3 🗆	4 □	5 🗆	I	
2. Sneezing	0 🗆	1 🗆	2 🗆	3 □	4 □	5 □		
3. Runny nose	0 🗆	1 🗆	2 🗆	3 □	4 □	5 □		
4. Cough	0 🗆	1 🗆	2 🗆	3 □	4 □	5 □		
5. Post-nasal discharge	0 🗆	1 □	2 🗆	3 □	4 □	5 □		
6. Thick nasal discharge	0 🗆	1 □	2 🗆	3 □	4 □	5 □		
7. Ear fullness	0 🗆	1 □	2 🗆	3 □	4 □	5 □		
8. Dizziness	0 🗆	1 □	2 🗆	3 □	4 □	5 □		
9. Ear pain	0 🗆	1 🗆	2 🗆	3 □	4 □	5 □		
10. Facial pain/pressure	0 🗆	1 🗆	2 🗆	3 □	4 □	5 □		
11. Difficulty falling asleep	0 🗆	1 □	2 🗆	3 □	4 □	5 □		
12. Wake up at night	0 🗆	1 🗆	2 🗆	3 □	4 □	5 □		
13. Lack of a good night's sleep	0 🗆	1 🗆	2 🗆	3 □	4 □	5 □		
14. Wake up tired	0 🗆	1 □	2 🗆	3 □	4 □	5 □		
15. Fatigue	0 🗆	1 □	2 🗆	3 □	4 □	5 □		
16. Reduced productivity	0 🗆	1 □	2 □	3 □	4 □	5 □		
17. Reduced concentration	0 🗆	1 🗆	2 □	3 □	4 □	5 □		
18. Frustrated/restless/irritable	0 🗆	1 🗆	2 🗆	3 □	4 □	5 □		
19. Sad	0 🗆	1 □	2 🗆	3 □	4 □	5 □		
20. Embarrassed		1 □	2 □	3 □	4 □	5 □		

## Total Score:

Name:

Score	Evaluation	Recommended Next Step
0 to 10	No problem to mild problem	No actions necessary or symptoms can be treated with OTC medication.
11 to 40	Moderate problem	An appointment with a specialist or your PCP is recommended and/or prescription medicine can be taken to treat symptoms.
41-69	Moderate to severe	An appointment with a specialist or your PCP is recommended and/or prescription medicine can be taken to treat symptoms.
70-100	Severe to "as bas as it can be"	An appointment with a specialist is recommended, treatment to be determined by doctor. Possible surgical candidate.

<sup>\*</sup>The SNOT score evaluation is to be used as a guide and not a physician's diagnosis. Treatment to be determined by doctor upon appointment. Copyright © 1996 by Jay F. Piccirillo, M.D., Washington University School of Medicine, St. Louis Missouri